

Material Safety Data Sheet According to 91/155/EC Date / Revised : 20.09.2015 Revision No. 1 Page 1 of 4 Product : PIGMENT BLUE 2900 SUBSTANCE / PREPARATION AND COMPANY IDENTIFICATION Trade Name **PIGMENT BLUE 2900** 2 (VIBFAST ULTRAMARINE BLUE 2900 EP - 62) Use : Colorants for the NC Lacquer, Printing Ink, Paints, Plastic, Rubber Manufacturer / Supplier Vibfast Pigments Pvt. Ltd. 1 C-1, 91/6, Phase 1, G.I.D.C., B/h. Bank of India, Vatva, Ahmedabad-382 445, INDIA Phone: 0091-79-32920774, 0091-79-64501424 Fax : 0091-79-25893014

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	Chemical Name	C.I. NO.	CAS No.	EINECS NO.	Percentage
Sodium Aluminum Sulfosilicate	Pigment Blue 29	77007	101357-30-6	309-928-3	100%

Hazardous Symbols : N	one Listed	Risk Phrases : None Listed	

3. HAZARDS IDENTIFICATION

No known hazards.

Potential Health Effects

Eye Contact : Dust may cause irritation

Skin Contact : May cause irritation

Ingestion : May cause irritation

Inhalation : May cause irritation of the respiratory tract

4. FIRST AID MEASURES

Eye Contact : Immediately flush eyes with water for at least 15 minutes. If discomfort persists, seek medical attention.

Skin Contact	t :	Wash with soap and water. If irritation persists, seek medical attention.
Ingestion	:	Do not induce vomiting. Seek medical attention
Inhalation	:	Move person to fresh air. Consult doctor in event of any complaints.



Material Safety Data Sheet
According to 91/155/ECDate / Revised : 20.09.2015
Product : PIGMENT BLUE 2900Revision No. 1Page 2 of 4

5. FIRE FIGHTING MEASURES

Flash Point:Not applicableAutoignition temperature:Not applicableLower explosive limit:Not applicableUpper explosive limit:Not applicableExtinguishing media:Water spray, foam or dry powderFire fighting procedures:Positive pressure, self contained breathing apparatuschemically contaminated water and soil according to local regulations.	s. Dispose of
--	---------------

6. ACCIDENTAL RELEASE MEASURES

Personal precautionary measures : Use protective equipment as indicated in item 8. Avoid inhalation of dusts.

Spills / Leaks : Take-up dry. Clean up spills immediately and prevent discharge into drainage / surface streams/ground water. Avoid generation of dust.

7. HANDLING AND STORAGE

Handling : Avoid generation and inhalation of dust. Provide adequate ventilation. Avoid contact with eyes. Wash thoroughly after handling.

Storage : Store in a cool dry place, away from heat, sources of ignition and prevent build-up of electrostatic discharge. Packages should be sound and puncture-proof, press-proof and damp-proof.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION :

Engineering controls : Storage and utilization facilities should be equipped with accessible water. Use adequate general or local ventilation to minimize dust generation.

Personal Protective Equipment

Respirator : Dust proof respirator.

Eyes : Wear appropriate protective eyeglasses or chemical safety goggles.

Skin : Wear rubber or plastic apron and gloves, overalls, sleeves and boots as necessary to prevent skin exposure.



Material Safety Data Sheet According to 91/155/EC			
Date / Revised : 20.09.2015 Product : PIGMENT BLUE 2900	Revision No. 1	Page 3 of 4	

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Powder
Color	:	Blue
Odour	:	Odourless
рН	:	7-9
Melting Point	:	> 1000 °C
Electric conduction	:	Non conduction
Auto flammability	:	Not applicable
Solubility in water	:	Insoluble
Specific Gravity/Density	:	2.35

10. STABILITY AND REACTIVITY

Stability : Stable under normal temperatures and pressure.

Condition to avoid : None known if handled and stored as specified.

Hazardous decomposition product : No hazardous decomposition products if stored and handled as prescribed/indicated.

11. TOXICOLOGICAL INFORMATION

LD50/oral/at	:	5000 mg / kg
Chronic/Carcinogenicity	:	No human carcinogen
Teratology	:	No teratogenic
Reproduction	:	No toxic reproduction
Other studies	:	No information available

12. ECOLOGICAL INFORMATION

Environmental Fate : This material is not expected to biodegrade when released into the soil. This material is not expected to significantly bioaccumulate. This product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

Toxicity to fish : Leuciscus idus/LC0 (48H) : > 100 mg/l **Micro-organisms/effect on activated sludge :** No inhibitory effects at 1000 mg/l



Material Safety Data Sheet According to 91/155/EC		
Date / Revised : 20.09.2015 Product : PIGMENT BLUE 2900	Revision No. 1	Page 4 of 4

13. DI SPOSAL CONSI DERATIONS

Disposal of containers and contents in accordance with all local, state, and federal requirements.

14. TRANSPORT INFORMATION

Not classified as hazardous under transport regulations.

15. REGULATORY INFORMATION

The product does not require a hazard warning label in accordance with EC Directives.

16. OTHER INFORMATION

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations.