



VIBFAST PIGMENTS PVT LTD.,



C-1, 91/6, Phase 1, G.I.D.C., B/h. Bank of India,
Vatva, Ahmedabad-382 445, INDIA
Phone : 0091-79-32920774, 0091-79-64501424 Fax : 0091-79-25893014

E-Mail : amit@vibfast.com
amit@vibgyorchemtex.com
Website : www.vibgyorchemtex.com / www.vibfast.com

VIBFAST LAKE CHOCOLATE BROWN HT MATERIAL SAFETY DATA SHEET (MSDS)

Information of the substance and of the company	
Commercial Product	CHOCOLATE BROWN HT LAKE
Synonyms	C.I.Food Brown #3 BROWN HT
Chemical Family(class)	DIAZO
Chemical Name	DISODIUM-4, 4-(2, 4-DIHYDROXY-5-HYDROXY METHYL-1, 3-PHENYLENE BISAZO)-DI (NAPHTHALENE-1-SULFONATE)
Company	VIBFAST PIGMENTS PVT. LTD
Telephone No	91-79-2583 0667
Fax No	91-79-2589 3014

Chemical Characterization Information On Ingredients	
E.E.C.No.	E-155
EINECS.	224-924-0
CAS No.	4553-89-3
C.I.No.	20285
Molecular Formula	$C_{17}H_{18}N_4Na_2O_9S_2$
Molecular Weight	652.57
According to documentation available is edible dye.	

Physical and chemical properties	
Physical State	Solid, Fine Powder/Granules.
Colour	Reddish brown.
Odor	Odorless
pH value	4-6
Boiling Point	Not applicable
Melting Point	No sharp melting point observed
Flash Point	Not applicable Substance does not having any oxidising property.
Ignition Temperature	Not applicable
Explosion Limit	Not applicable
Vapour Pressure	Not applicable
Density	0.70
Solubility in water	180 gms/litre

Stability & Reactivity	
Hazardous Reactions	No
Hazardous Decomposition Product	Not Established
Chemical In Compatibility	Strong Reducing Agents, Decolourising Agents, Strong Acids & Alkalies
Condition To Avoid	I) Heating To High Temperature II) Storage under damp atmosphere
Reactivity Data	This material is stable under condition of normal handling and use, but sensitive to moist air.

Handling & Storage	
Handling	Avoid formation of dust
Storage	Keep in closed container at ambient temperature & humidity



VIBFAST PIGMENTS PVT LTD.,



C-1, 91/6, Phase 1, G.I.D.C., B/h. Bank of India,
 Vatva, Ahmedabad-382 445, INDIA
Phone : 0091-79-32920774, 0091-79-64501424 **Fax :** 0091-79-25893014

E-Mail : amit@vibfast.com
amit@vibgyorchemtex.com
 Website : www.vibgyorchemtex.com / www.vibfast.com

Do Not Store Together	Store Colourwise
Exposure Controls/Personal Protection	
TLV	No
Respirator Protection	May be used (In case dust formation particle filter e.g. DIN 3181-21 may be)
Ventilation	Local ventilation capable of minimising dust emission at the point of use
Eye Protection	Protective glasses may be used
Hand Protection	Rubber gloves may be used wash the hands before and at the end of work with water, soap
Hazards Identification	
Warnings	
The usual precautions taken when handling of dyes should be observed. As the substance is edible dye, no hazardous to water supply.	
First Aid Measures	
Eye Contact	Wash eyes with plenty of water for at least 15 minute
Skin Contact	Wash off with plenty of water & soap
Ingestion	Plenty full water to be taken inside, special medical attention may not be necessary
Accidental Release Measures	
After Spillage	Sweep up spilled substance carefully, then clean with water
Absorbent Material	Use clean cotton cloth
Disposal Consideration	
Can be sent to an incineration plant in accordance with local regulations	
Fire Fighting Measures	
Extinguishing Media	Use dry chemicals or carbon dioxide CO ₂
Thermal Decomposition	Dangerous decomposition is not anticipated
Toxicological Information (In Rats & Mice)	
LD 50 Oral	6000-10000 mg/kg body weight
LD 50 intraperitoneal	3800-5000 mg/kg body weight
LD 50 skin	No adverse or pathological effect
LD 50 inhalation	Not Known
Eye Irritation	Not irritating to Eye
Dermal Irritation	Not irritating to skin.
Acceptable Daily Intake	
JECFA	0-2.5 mg/kg body weight
EEC	0-2.5 mg/kg body weight
Ecological Information	
Water Hazard	Being an edible dye, Not established
Transport Information	
Not Hazardous Cargo	
Keep separated from hazardous chemicals	
Regulatory Information	
Manufactured as per specification set by BIS (India), FAO/WHO (JECFA). Each country has its own laws on colouring of food-stuffs, colourant permitted and their purity standards	



VIBFAST PIGMENTS PVT LTD.,



C-1, 91/6, Phase 1, G.I.D.C., B/h. Bank of India,
Vatva, Ahmedabad-382 445, INDIA
Phone : 0091-79-32920774, 0091-79-64501424 **Fax :** 0091-79-25893014

E-Mail : amit@vibfast.com
amit@vibgyorchemtex.com
Website : www.vibgyorchemtex.com / www.vibfast.com

Other Information

This product should be stored, handled and used in accordance with good industrial hygienic practices and in conformity with any legal regulation. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of health and safety requirements. It should not therefore be construed as guaranteeing specific properties

Note: All requirement shall be on dry basis.

For total dye content: requirement within tolerance limit of $\pm 7.5\%$ the declared of value.